Statistics & Probability Letters 16 (1993) 421–422
North-Holland

8 April 1993

Author Index Volume 16 (1993)

Abolnikov, L.M., J.H. Dshalalow and A.M. Dukhovny, Stochastic analysis of a controlled bulk queueing system with continuously operating server: Continuous time parameter queueing process (2) 121–128
Ahn, S.K. and S. Cho, Some tests for unit roots in seasonal time series with deterministic trends (2) 85– 95
Albin, J.M.P., Extremes of totally skewed stable motion (3) 219–224
Anderson, T.W. and R.P. Mentz, A note on maximum likelihood estimation in the first-order Gaussian moving average model (3) 205–211
Balakrishnan, N. and K. Balasubramanian, Equivalence of Hartley–David–Gumbel and Papathanasiou bounds and some further remarks (1) 39– 41
Balakrishnan, N., *see* Balasubramanian, K. (3) 249–251
Balasubramanian, K. and N. Balakrishnan, A log-concavity property of probability of occurrence of exactly r arbitrary events (3) 249–251
Balasubramanian, K., *see* Balakrishnan, N. (1) 39– 41
Baxter, L.A., Towards a theory of confidence intervals for system reliability (1) 29– 38
Berger, A. and S. Wallenstein, The effect of grouping on the power of the Mantel–Haenszel test for the comparison of survival rates (1) 19– 25
Bhattacharya, P.K. and P.-l. Zhao, Almost sure uniform convergence rates for M-smoothers with non-monotone score functions (3) 189–196
Burger, H.U., Dispersion orderings with applications to nonparametric tests (1) 1– 9
Carroll, R.J., J.L. Eltinge and D. Ruppert, Robust linear regression in replicated measurement error models (3) 169–175
Celeux, G., *see* Robert, C.P. (1) 77– 83
Chen, G., Some specific contiguous alternatives to the normal error assumption in linear models (3) 239–247
Cho, S., *see* Ahn, S.K. (2) 85– 95
Cook, R.D., D.M. Hawkins and S. Weisberg, Exact iterative computation of the robust multivariate minimum volume ellipsoid estimator (3) 213–218
Coolen, F.P.A., Imprecise conjugate prior densities for the one-parameter exponential family of distributions (5) 337–342
Cordeiro, G.M., General matrix formulae for computing Bartlett corrections (1) 11– 18
Cuesta-Albertos, J.A. and A. Tuero-Díaz, A characterization for the solution of the Monge–Kantorovich mass transference problem (2) 147–152
Ćwik, J. and J. Mielniczuk, Data-dependent bandwidth choice for a grade density kernel estimate (5) 397–405
Davidson, J., An L_1-convergence theorem for heterogeneous mixingale arrays with trending moments (4) 301–304
de Cambry, O., Asymptotic law in sequential estimation of a change point (5) 379–390
Degenhardt, H.J.A., Chung–Smirnov property for perturbed empirical distribution functions (2) 97–101
Diebolt, J., *see* Robert, C.P. (1) 77– 83
Domínguez-Menchero, J.S., On the local behaviour of the Yang regression estimate (4) 321–329
Dshalalow, J.H., *see* Abolnikov, L.M. (2) 121–128
Dukhovny, A.M., *see* Abolnikov, L.M. (2) 121–128
Dunnett, C.W. and A.C. Tamhane, Power comparisons of some step-up multiple test procedures (1) 55– 58
Eltinge, J.L., *see* Carroll, R.J. (3) 169–175
Fong, D.Y.T., *see* Yip, P. (2) 129–135
Franses, P.H., A model selection procedure for time series with seasonality (4) 253–258
Giles, D.E.A. and V.K. Srivastava, The exact distribution of a least squares regression coefficient estimator after a preliminary t-test (1) 59– 64
Giovagnoli, A. and G. Regoli, Some results on the representation of measures of location and spread as L-functionals (4) 269–278
Guttman, I., *see* Lin, D.K.J. (4) 259–268
Hanagal, D.D., Some inference results in an absolutely continuous multivariate exponential model of Block (3) 177–180
Hawkins, D.M., *see* Cook, R.D. (3) 213–218
Hendriks, H., J.H.M. Janssen and F.H. Ruymgaart, Strong uniform convergence of density estimators on compact Euclidean manifolds (4) 305–311
Hušková, M. and P. Janssen, Generalized bootstrap for studentized U-statistics: A rank statistic approach (3) 225–233
Janssen, J.H.M., *see* Hendriks, H. (4) 305–311
Janssen, P., *see* Hušková, M. (3) 225–233

0167-7152/93/$06.00 © 1993 – Elsevier Science Publishers B.V. All rights reserved

Jeske, D.R., Predicting the value of an integer-valued random variable (4) 297–300
Jin, C., A note on simultaneous estimation of eigenvalues of a multivariate normal covariance matrix (3) 197–203
Joe, H., Tests of uniformity for sets of lotto numbers (3) 181–188
Kim, Tae Yoon, A note on moment bounds for strong mixing sequences (2) 163–168
Knautz, H. and G. Trenkler, On the correlation between $\bar{X}$ and S^2 (3) 235–237
Kuhlmann, D.W. and F.T. Wright, A property of projection residuals with applications to concave regression (4) 313–319
Lewis, T.M. and W.V. Li, How long does it take to *see* a flat Brownian path on the average? (5) 347–354
Li, W.V., *see* Lewis, T.M. (5) 347–354
Lin, D.K.J. and I. Guttman, Handling spuriosity in the Kalman filter (4) 259–268
Lin, Gwo Dong, On convergence rates of averages of weakly dependent random variables (2) 159–162
Luo, Z., *see* Wu, X. (4) 289–296
Massey, W.A. and W. Whitt, A probabilistic generalization of Taylor's theorem (1) 51– 54
Mathew, T. and K. Nordström, Least squares and least absolute deviation procedures in approximately linear models (2) 153–158
Meeden, G., Noninformative nonparametric Bayesian estimation of quantiles (2) 103–109
Mentz, R.P., *see* Anderson, T.W. (3) 205–211
Merzbach, E. and M. Zakai, Worthy martingales and integrators (5) 391–395
Mielniczuk, J., *see* Ćwik, J. (5) 397–405
Nordström, K., *see* Mathew, T. (2) 153–158
Pourahmadi, M., On relations between prediction error covariance of univariate and multivariate processes (5) 355–359
Preater, J., A note on monotonicity in optimal multiple stopping problems (5) 407–410
Rama Krishnaiah, Y.S., On tail probabilities of Kolmogorov–Smirnov statistic based on strong mixing processes (5) 369–377
Regoli, G., *see* Giovagnoli, A. (4) 269–278
Robert, C.P., G. Celeux and J. Diebolt, Bayesian estimation of hidden Markov chains: A stochastic implementation (1) 77– 83
Rosalsky, A., On the almost certain limiting behavior of normed sums of identically distributed positive random variables (1) 65– 70
Roters, M., On a ranking problem for symmetric and unimodal location parameter families (1) 47– 49
Ruppert, D., *see* Carroll, R.J. (3) 169–175
Ruymgaart, F.H., *see* Hendriks, H. (4) 305–311
Sadooghi-Alvandi, S.M., A proof of the continuity theorem for characteristic functions (1) 27– 28
Samuel-Cahn, E., Optimal stopping in urn models with payoff depending on maximal observed element (5) 361–368
Scarsini, M. and L. Verdicchio, On the extendibility of partially exchangeable random vectors (1) 43– 46
Shao, Q.-M., Complete convergence for α-mixing sequences (4) 279–287
Shih, J.-Q., Regression transformation diagnostics in transform-both-sides model (5) 411–420
Somerville, P.N., On the conservatism of the Tukey–Kramer multiple comparison procedure (5) 343–345
Srivastava, V.K., *see* Giles, D.E.A. (1) 59– 64
Sultan, S.A., *see* Tracy, D.S. (1) 71– 76
Tamhane, A.C., *see* Dunnett, C.W. (1) 55– 58
Toman, B., Optimal scaling of two-level factorial experiments (4) 331–336
Tracy, D.S. and S.A. Sultan, Third moment of matrix quadratic form (1) 71– 76
Tran Van Hoa, The mixture properties of the 2SHI estimators in linear regression models (2) 111–115
Trenkler, G., *see* Knautz, H. (3) 235–237
Tuero-Díaz, A., *see* Cuesta-Albertos, J.A. (2) 147–152
Vandev, D., A note on the breakdown point of the least median of squares and least trimmed squares estimators (2) 117–119
Velilla, S., Quantile-based estimation for the Box–Cox transformation in random samples (2) 137–145
Verdicchio, L., *see* Scarsini, M. (1) 43– 46
Wallenstein, S., *see* Berger, A. (1) 19– 25
Weisberg, S., *see* Cook, R.D. (3) 213–218
Whitt, W., *see* Massey, W.A. (1) 51– 54
Wright, F.T., *see* Kuhlmann, D.W. (4) 313–319
Wu, X. and Z. Luo, Residual sum of squares and multiple potential, diagnostics by a second order local approach (4) 289–296
Yip, P. and D.Y.T. Fong, Estimating population size from a removal experiment (2) 129–135
Zakai, M., *see* Merzbach, E. (5) 391–395
Zhao, P.-l., *see* Bhattacharya, P.K. (3) 189–196